

Specifications



Eaton CSD32USBIND

Industrial Locking Charging Station for 32 Zebra devices, industrial handhelds, or smartphones - USB with Syncing

General specifications

PRODUCT NAME	Eaton Tripp Lite series stationary charging station
CATALOG NUMBER	CSD32USBIND
UPC	037332282477
PRODUCT LENGTH/DEPTH	18.19 in
PRODUCT HEIGHT	18.56 in
PRODUCT WIDTH	23.63 in
PRODUCT WEIGHT	69.23 lb
WARRANTY	2 year limited
COMPLIANCES	CE Marked FCC Compliant FCC Class B REACH RoHS
CERTIFICATIONS	UL 60950-1
GLOBAL CATALOG	CSD32USBIND
PRODUCT TYPE	Stationary charging station

Product specifications

FREQUENCY RATING	50/60 Hz 50 / 60 Hz (auto-select)
CHARGING PORTS DETAILS	Pass through
NUMBER OF CHARGING PORTS	32
PRODUCT TYPE	Multi-Device Charger
DEVICE COMPATIBILITY	Phone
FREQUENCY COMPATABILITY	50/60 Hz
COLOR	Black
INPUT PLUG TYPE	NEMA 5-15P
CHARGING PORTS / AMPS	2.4A
INPUT CORD LENGTH	10 ft
INPUT FREQUENCY	50 / 60 Hz (auto-select)
CHARGING METHOD	USB
INPUT NOMINAL VOLTAGE	120 VAC
PRODUCT FEATURES	Cord Management EMI/RFI Line Noise Protection Flow-Through Ventilation Locking Overcurrent Protection Built-In Circuit Breaker Overcharge Protection
RELATIVE HUMIDITY	5% to 95% RH (Non-Condensing)
OPERATING TEMPERATURE RANGE	32° to 86°F (0° to 30°C)
STORAGE TEMPERATURE RANGE	5° to 122°F (-15° to 50°C)
PACKAGE CONTENTS	(2) Keys Padlock hasp Owner's manual CSD32USBIND 32-Device USB Charging Station Detachable AC input cord (10 ft./3 m) with right-angle NEMA 5-15P plug
CHARGING FORM FACTOR	Stationary cabinet
CHARGING PORT TYPE	USB A (FEMALE)
DEVICE SLOTS	32
NUMBER OF SHELVES	2
POWER CONSUMPTION	112 W
VOLTAGE COMPATIBILITY	110 VAC

Resources

(VAC)	120 VAC
CHARGING STATION FORM FACTOR	Stationary cabinet
CHARGING AMPS PER PORT	2.4A
LOCK	Key

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

