

[home](#) >
 [view certified devices](#) >
 [certified device detail](#)

Certified Device Detail

Below are all of the certified HW/SW versions of this device.

Manufacturer: InHand Networks
Model Name/Number: CR602
Device Type: Router
Antenna Type: External
External Antenna less than 20cm away: Yes



[View Image](#)



[Download Certification Certificate](#)

[Download Logo Files](#)

IoT Network Certified for Smart Connected Infrastructure™? No
IoT Market Segment: Healthcare, Hospitality, Retail

Technologies and Bands:	NR FRI SA (16)
	NR FRI NSA (12)
	E-UTRA FDD (15)
	E-UTRA TDD (6)
	E-UTRA CA Downlink (147)
	E-UTRA CA Uplink (10)
	E-UTRA LAA Downlink CA (19)

Regulatory Approval IDs

Type	ID	Issuing Country
FCC	2BPWU-CR602	United States

IMEI TAC:
 86107506

Amount of information to be published:

- ☒ Basic
☐ Detailed

Features:

- ☐ A-GNSS
☐ AMR-NB

☐ AMR-WB		
☒ AT Commands		
☐ Band 30 and/or n30 DL Only		
☐ Bluetooth		
☐ CDMA2000		
☐ Circuit Switched Voice		
☐ DARP		
☒ Device Power Class	2	
☐ EGPRS Multislot Class		
☐ External Vehicle-Mounted Antenna		
☐ FUMO		
☐ GAN/UMA		
☐ GNSS		
☐ GPRS Multislot Class		
☐ HAC		M - Rating
		T - Rating (Optional)
☐ HSDPA		
☐ HSUPA		
☐ IMPS		
☐ ISM		
☒ LTE UE Downlink Category	19	
☒ LTE UE Uplink Category	18	
☐ LwM2M		
☒ MIMO Downlink	4 RX DL MIMO with 4-Layer Support	
☒ MIMO Uplink	2 TX UL MIMO	
☐ MMS Release		
☒ Multi-SIM Support	2 SIM	Number
	Dual SIM Single Standby (DSSS)	Feature
☐ OMA DM		
☐ OMA PoC		
☒ OMA SUPL		
☐ Consumer Remote SIM Provisioning (GSMA SGP.22)	Add Another	eSIM OS Vendor (e.g. Gemalto, G&D)
☐ M2M Remote SIM Provisioning (GSMA SGP.02)	Add Another	eSIM OS Vendor (e.g. Gemalto, G&D)
☐ OMA_Browsing		
☒ RX Diversity		

- ☐ SCOMO
- ☐ STK SIM
- ☒ STK USIM
- ☐ TD-SCDMA
- ☐ TTY
- ☐ UICC-Based NFC
- ☐ Video Telephony
- ☐ VoLTE
- ☐ VoNR

☐ WAP Version

☐ Wi-Fi

Wi-Fi Solution Manufacturer and Model Name/Number

☐ This is a rebranded device

Request #	HW Version	SW Version	SVN	NAPRD.03 Ver.	Request Type	Test Indicators	Date Certified	Integration ECO - Requires Testing
140299	V1.1	V2.0	51	NR FR1 SA Test: 6.15 NR FR1 NSA Test: 6.15 MIMO OTA Performance Test: 6.15 Speech Performance Test: 6.15 E-UTRA Test: 6.15 SUPL Test: 6.15 SISO OTA Performance Test: 6.15	Initial	Testing was performed: Yes Category E Failures: No UE Failures: No	Mar 26, 2026	false