

Specifications

Eaton UPB-04K0-1CM

Portable Wireless Magnetic Charging Power Bank - 4,000 mAh - PDHPCM



General specifications

PRODUCT NAME	Eaton Tripp Lite series power bank
CATALOG NUMBER	UPB-04K0-1CM
UPC	037332279323
PRODUCT LENGTH/DEPTH	0.531 in
PRODUCT HEIGHT	4.21 in
PRODUCT WIDTH	2.74 in
PRODUCT WEIGHT	0.553 lb
WARRANTY	1 year limited
COMPLIANCES	RoHS WEEE Directive FCC Compliant
CERTIFICATIONS	NOM ICES
GLOBAL CATALOG	UPB-04K0-1CM
PRODUCT TYPE	Power bank

Product specifications

TYPE	Portable Battery Bank with Wireless Magnetic Charging
FEATURES	Flex Center
CHARGING PORTS DETAILS	• Magnetic wireless pad charges compatible devices with up to 10 Watts of power • USB-C port provides 5V/3A or 9V/2A charging output • Note: Only one charging option can be used at a time. If switching from one charging method to the other you must remove your device and wait 60 seconds before switching.
NUMBER OF CHARGING PORTS	1
TOTAL CHARGING AMPS	3A
TOTAL CHARGING WATTS	18
CABLE LENGTH	3 ft
CAPACITY (AH)	4000
TOTAL NUMBER OF PORTS	1
NUMBER OF PORTS	1
BATTERY CAPACITY	4000mAh
CABLE OUTER DIAMETER (OD)	3.5
OUTPUT CAPACITY	18 W
OVER CURRENT PROTECTION	Yes
OVERLOAD PROTECTION	Yes
INPUT PLUG TYPE DETAILS	USB-A to USB-C charging cable, or user supplied USB-C to USB-C cable
CHARGING METHOD DETAIL	4,000 mAh
CONTINUOUS OUTPUT CAPACITY	18 W
LED INDICATORS	LED's will illuminate one by one (4 total) to indicate

Resources

	status of battery and to indicate device is charging. The LED's will illuminate in left to right order when charging from 0% to 100%, and will then decrease from right to left as battery is decreased during use.
OPERATING TEMPERATURE RANGE	32° to 104°F (0° to 40°C)
STORAGE TEMPERATURE RANGE	-13° to 113°F (-25° to 45°C)
CABLE LENGTH RANGE	Up to 4ft (up to 1M)
OPERATING HUMIDITY RANGE	20% to 90% RH
STORAGE HUMIDITY RANGE	45% to 85% RH
COLOR	Black
INPUT PLUG TYPE	USB-C (Female)
CABLE JACKET RATING	VW-1
MATERIAL	PC+ABS
CABLE JACKET COLOR	Black
CHARGING PORTS / AMPS	2A 3A
CHARGING METHOD	USB Wireless Magnetic Charger
INPUT NOMINAL VOLTAGE	9 VDC 5 VDC
PRODUCT FEATURES	Overvoltage Protection Overcharge Protection Overcurrent Protection USB Charging Wireless Charging Magnetic Charging Y - YES
CABLE JACKET MATERIAL	PVC
PACKAGE CONTENTS	Owner's manual USB-A to USB-C charging cable, 3 ft. (0.9 m) UPB-04K0-1CM Portable Wireless Magnetic Charging Power Bank
PRODUCT HIGHLIGHTS	Charges your Apple, Android or Windows smartphone without connecting a cable 1-year limited warranty (Worldwide) Protects phone against overcharges, over-voltage, over-current and short

	circuits Magnetic charging pad compatible with MagSafe and other wireless- compatible devices Portable power ideal for road trips, blackouts and other applications without power Adjustable stand allows scrolling, texting or watching video vertically or horizontally
CHARGING FORM FACTOR	Pad / stand Portable
CHARGING PORT TYPE	USB C (FEMALE) WIRELESS CHARGING COIL
PACKAGING TYPE	Box
POWER SOURCE TYPE	USB
SIDEA CONNECTOR1	USB C (FEMALE)
COMPATIBLE DEVICES	Tablet Smartphone
SIDEB CONNECTOR1	Magnetic Charger
SIDEB CONNECTOR3	Magnetic Charger
DEVICE COMPATIBILITY	Phone Tablet
TECHNOLOGY	USB

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

